

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addiese: COMMISSIONER FOR PATENTS P O Box 1450 Alexandra, Virginia 22313-1450 www.wepto.gov

APPLICATION NO. FILING DATE		FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
10/581,848	01/08/2007	Smadar Cohen	0-06-119	3923		
Kevin D McCa	7590 04/14/200 arthy	EXAM	EXAMINER			
Roach Brown	McCarthy & Gruber	KETTER, JAMES S				
1620 Liberty F Buffalo, NY 1		ART UNIT	PAPER NUMBER			
,			1636	1636		
			MAIL DATE	DELIVERY MODE		
			04/14/2000	PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Application No. Applicant(s) 10/581,848 COHEN ET AL. Office Action Summary Examiner Art Unit James S. Ketter 1636

The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 2 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MALINED OATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 3 CFR 1.136(a). In no event, however, may a rappy be timely fised after SIK (b) MONTH'S from the mailing date of the communication.
 If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (g) MONTHS from the maining date of this communication. Failure to reply within the set or readhend period for reply will, by statute, cause the application to become ARADONED (30 U.S.C.§ 313). Any reply received by the Officio later than three months after the mailing date of this communication, even if timely filed, may reduce any earned pattern term adjustment. See 37 CFR 1.74(b).
Status
1) Responsive to communication(s) filed on
2a) ☐ This action is FINAL. 2b) ☑ This action is non-final.
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.
Disposition of Claims
4)⊠ Claim(s) <u>1-33</u> is/are pending in the application.
4a) Of the above claim(s) is/are withdrawn from consideration.
5) Claim(s) is/are allowed.
6)⊠ Claim(s) <u>1-33</u> is/are rejected.
7) Claim(s) is/are objected to.
8) Claim(s) are subject to restriction and/or election requirement.
Application Papers
9)☐ The specification is objected to by the Examiner.
10)⊠ The drawing(s) filed on <u>05 June 2006</u> is/are: a)⊠ accepted or b)⊡ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d)
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.
Priority under 35 U.S.C. § 119
12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some * c) ☐ None of:
1. Certified copies of the priority documents have been received.
Certified copies of the priority documents have been received in Application No
3. Copies of the certified copies of the priority documents have been received in this National Stage
application from the International Bureau (PCT Rule 17.2(a)).
* See the attached detailed Office action for a list of the certified copies not received.
Attachment(s)

U.S.	Pat	ent.	and	Trade	mark	Offic
DT	OI	22	c /	001	OO.	ne)

1) Notice of References Cited (PTO-892)

2) Notice of Draftsperson's Patent Drawing Review (PTO-948)
3) Information Disclosure Statement(s) (PTO/S5/08)

Paper No(s)/Mail Date 6/5/06; 8/11/06; 9/8/06.

4) Interview Summary (PTO-413) Paper No(s)/Mail Date.

6) Other: ___

5) Notice of Informal Patent Application

Application/Control Number: 10/581,848

Art Unit: 1636

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 1-33 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

With respect to claims 1 and 6, and therefore claims 2-5 and 7-23 which depend therefrom, claims 1 and 6 recite "impermeable". However, it is not clear what this term means, as materials differ in their impermeability or <u>relatively</u> impermeability to different fluids, solvents, particulates, and so forth. Furthermore, impermeability may also refer to radiation or sound waves, i.e., acoustics. As such, the metes and bounds of the claims are unclear.

Regarding claims 2-5, 30 and 31, the phrases "preferably" or "more preferably" render the claim indefinite because it is unclear whether the limitations following the phrase are part of the claimed invention. See MPEP § 2173.05(d).

Claim 5 recites a trademark, "Plexiglas^{TM6}. However, the trademark name is used in a claim as a limitation to identify or describe a particular material or product, and as such the claim does not comply with the requirements of the 35 U.S.C. 112, second paragraph. See MPEP \$2173.05(u).

Claims 6 and 10, and therefore claims 7-9 and 11-23 that depend therefrom, recite the phrase "a predetermined distance". However, it is unclear how a "predetermined" distance differs from any other distance. Whether or not the distance was preconceived by the practitioner or arrived at by trial-and-error, for example, the distance is the same. As such, the meaning of the limitation is not clear, and the metes and bounds of the claims are indefinite.

Application/Control Number: 10/581,848

Art Unit: 1636

Claims 8-10, 24, 27, and therefore 11-13, 25 and 26 that depend therefrom, recite "substantially". However, this term is not defined in either the specification or the prior art to be of sufficiently precise meaning in the contexts employed in the instant claims. As such, the metes and bounds of the claims are unclear.

Claims 16-18 recite "suitable". However, the mere, unqualified term "suitable" has no meaning, because it is not made clear for what the referenced component is suited.

Regarding claim 17, the phrase "such as" renders the claim indefinite because it is unclear whether the limitations following the phrase are part of the claimed invention. See MPEP § 2173.05(d).

Claim 18 recites "suitable means", referring back to the claim from which it depends, written as claim 7. However, claim 7 lacks antecedent basis for this phrase. It would appear that claim 17 was intended.

Claim 21 recites "said fluid distributor mesh". However, in the claim from which it depends, 20, there are actually two fluid distributor meshes recited, going back to claim 19. As such, the actual antecedent basis for the recitation in claim 21 is unclear, i.e., unclear which one is being referenced.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to James S. Ketter whose telephone number is 571-272-0770. The examiner can normally be reached on Monday-Friday.

Art Unit: 1636

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Christopher Low can be reached on 571-272-0951. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

JSK 14 April 2009

/James S. Ketter/ Primary Examiner, Art Unit 1636